



KK INTELLIGENT HUB

High - efficiency meeting platform







ACCESSORY



APPEARANCE



 Two colors collocated frame, stylish design for business meeting.

 One - key control, simple and modern.


FEATURE




 Modular design, easy to use.




 Multi-function whiteboard software.



 Preset meeting interface, be free to set up a welcome poster, and participants sign in.



 Ten touch points, wireless connecting with multiple devices, support screen projection from Windows, IOS, Android.



 Integrated video conferencing, apps, and more.



 Share meeting minutes easily by scan or email.



Easy to screen projection

Connected with a portable device, only a simple press can easy project your Windows or IOS content to intelligent conference panel. Making your presentation more convenient and efficient.

APPLICATION



SPECIFICATION

LED Panel			
Screen Size	65"	Contrast Ratio	1200:1
Resolution	3840(H) × 2160 (V)	Display Ratio	16:9
Brightness	350 (cd / m)		

Interface			
Tuner	x1 ATV/DTV	Output	AV out RJ45 OUT x1 HDMI OUT (Optional)
USB	X1 USB 3.0,X2 USB 2.0	COAX	x1
WIFI	x1 2.4G,x1 5G	Earphone	x1
VGA IN	x1	USB(TP)	x1 Standard Type B
Input	Audio in x1、YPbPr in x1 、AV-in x1、 RJ45 IN x1、 DP IN (Optional) HDMI Inx3	RS232	x1
		Speaker	10W x2

Optional Accessories			
OPS CPU	H81 I5 4G RAM/500G HDD or above	Touch Pen(short)	X1
OPS OS	Windows 7/ 8/10	Touch Pen (long)	X2
OPS Connectivity	USB2.0x4、 USB3.0 X2、 RS232 x1 RJ45 x1、 VGA output x1、 HDMI in x1	Screen Transmitting Device	X1

Android			
GPU	Hexa-core high-performance GPU	Network	WIFI,RJ45
DDR/RAM	2GB	Language	Multi-language support
EMMC/Flash	8GB	Operation System	5.1.1
File Format	Support H264、 H265、 MPEG2、 VC1、 VP6、 VP8、 VP9…MVC、 DIVX、 MJPEG、 AVS	Voltage	100~240V

Other Parameten			
Power Consumption	340W (including pc)	Storage Temperature	-5℃~40℃
Dimension	1485*906*89mm		

Working Environment			
Working Temperature	0℃~40℃	Working Humidity	10%~90%

KONKA

KONKA GROUP CO., LTD ShenZhen KONKA E-disply CO., LTD

KONKA R&D Building, Hight-tech Park, Nanshan, Shenzhen, China, 518057

Tel: +86-0755-26608866-3998 Fax: +86-0755-61368816 E-mail: marketing@konka.com



konka-led.com